



1186 LOWER RIVER ROAD, CHARLESTON, TN 37310-0248

(423) 336-4007

FAX (423) 336-4166

E-Mail: cmrichards@olin.com

CURT M. RICHARDS
Vice President
Environment, Health & Safety

April 7, 2004

Roger Briggs, P. E.
Executive Director
California Regional Water Quality Control Board
Central Coast Region
895 Aerovista Place, Suite 101
San Luis Obispo, CA 93401-7906

Re: Letter Dated 10/18/02 - SLIC: 425 Tennant Avenue, Morgan Hill: Request to
Implement Additional Monitoring For Perchlorate in Offsite Domestic Supply
Wells Downgradient of the Olin Site
Letter Dated: 10/22/02 - Treatment or Alternative Water Supply Criterion

Dear Mr. Briggs:

In the letter dated 10/18/02 - SLIC: 425 Tennant Avenue, Morgan Hill: Request to Implement Additional Monitoring For Perchlorate in Offsite Domestic Supply Wells Downgradient of the Olin Site, the RWQCB requested that Olin Corporation provide bottled or alternative water based upon 4 ppb action level established by the California Department of Health Services (DHS) to certain well owners or their tenants whose wells exceeded that value. With the recent change of the DHS action level to 6 ppb, Olin requests confirmation that bottled or alternative water is to be provided to well owners or their tenants whose wells exceed the current action level of 6 ppb until the California drinking water Maximum Contaminant Level (MCL) is established.

Sincerely,

Curt M. Richards
Curt M. Richards

Cc: Eric Gobler - RWQCB
David Athey - RWQCB
Rick McClure - Olin

Olin Corporation